

S10 1	14	indicat\$3 with (qos or (quality near2 service\$2)) with (unavailable or possible)	USPAT	OR	OFF	2004/05/10 17:38
S10 2	81	(rsvp or (resource\$1 adj protocol\$1)) near15 (enabl\$3 or disabl\$3)	USPAT	OR	OFF	2005/01/04 09:22
S10 3	4	(rsvp or (resource\$1 adj protocol\$1)) near15 (disabl\$3)	USPAT	OR	OFF	2005/01/04 09:15
S10 4	2	(rsvp or (resource\$1 adj protocol\$1)) near15 off	USPAT	OR	OFF	2005/01/04 09:15
S10 5	43	(rsvp or (resource\$1 adj protocol\$1)) near15 enabl\$3 and disabl\$3	USPAT	OR	OFF	2005/01/04 09:22

S84	5	chang\$3 with qos with mode	USPAT	OR	OFF	2004/05/10 15:03
S85	5	chang\$3 with (qos or (quality near2 service\$1))near3 mode	USPAT	OR	OFF	2004/05/10 15:05
S86	4	set\$4 with (qos or (quality near2 service\$1))near3 mode	USPAT	OR	OFF	2004/05/10 15:08
S87	0	(set\$4 or chang\$3) with terminalcapabilityset	USPAT	OR	OFF	2004/05/10 15:08
S88	4	terminalcapabilityset	USPAT	OR	OFF	2004/05/10 15:08
S89	2482735	(chang\$3 or set\$4) terminalcapabilityset	USPAT	OR	OFF	2004/05/10 15:09
S90	0	(chang\$3 or set\$4) near10 terminalcapabilityset	USPAT	OR	OFF	2004/05/10 15:09
S91	1054	(chang\$3 or set\$4) near8 (qos or (quality near2 service\$2))	USPAT	OR	OFF	2004/05/10 15:11
S92	51	(chang\$3 or set\$4) near8 (qos or (quality near2 service\$2)) with possible	USPAT	OR	OFF	2004/05/10 15:13
S93	99	(chang\$3 or set\$4) near8 (qos or (quality near2 service\$2)) with (possible or available)	USPAT	OR	OFF	2004/05/10 15:24
S94	1	(chang\$3 or set\$4) near8 (qos or (quality near2 service\$2)) with (possible or available)near10 (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 15:14
S95	34	(chang\$3) near8 (qos or (quality near2 service\$2)) with (possible or available)	USPAT	OR	OFF	2004/05/10 15:39
S96	0	(chang\$3) near8 (qos or (quality near2 service\$2)) with (possible or available)with (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 15:40
S97	5	(qos or (quality near2 service\$2)) with (possible or available)with (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 16:11
S98	0	chang\$3 near15(qos or (quality near2 service\$2)) with (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 16:11
S99	29	(qos or (quality near2 service\$2)) with (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 17:30
S100	2	indicat\$3 with (qos or (quality near2 service\$2)) with (unavailable or ("not" adj possible))	USPAT	OR	OFF	2004/05/10 17:38

S61	4	"h.245" near15 (wireless or mobil\$6)and ("h.225" or acf)	USPAT	OR	OFF	2004/05/07 13:41
S62	2	"h.245" near15 terminalcapabilityset	USPAT	OR	OFF	2004/05/07 13:42
S63	2	"h.245" near15 terminalcapabilityset and terminalcapabilityset	USPAT	OR	OFF	2004/05/07 13:42
S64	1	"6721272".pn. and port\$1	USPAT	OR	OFF	2004/05/10 12:15
S65	0	"6721272".URPN.	USPAT	OR	OFF	2004/05/10 12:06
S66	1	"6721272".pn. and server\$1	USPAT	OR	OFF	2004/05/10 13:25
S67	52	access adj bearer	USPAT	OR	OFF	2004/05/10 13:26
S68	7	access adj bearer with (qos or (quality near2 service\$1))	USPAT	OR	OFF	2004/05/10 13:34
S69	7	access adj bearer near15 (qos or (quality near2 service\$1))	USPAT	OR	OFF	2004/05/10 13:38
S70	29	access adj bearer and(qos or (quality near2 service\$1))	USPAT	OR	OFF	2004/05/10 13:38
S71	22	access adj bearer and(qos or (quality near2 service\$1))not (access adj bearer near15 (qos or (quality near2 service\$1)))	USPAT	OR	OFF	2004/05/10 13:38
S72	5	access adj bearer and(qos or (quality near2 service\$1))not (access adj bearer near15 (qos or (quality near2 service\$1))) and radio with access with node	USPAT	OR	OFF	2004/05/10 14:06
S73	0	"6584110".pn. and acf	USPAT	OR	OFF	2004/05/10 14:07
S74	1	"6539237".pn. and acf	USPAT	OR	OFF	2004/05/10 14:11
S75	1	"6732177".pn. and acf	USPAT	OR	OFF	2004/05/10 14:15
S76	2	("6732177" "6539237" "6584110").pn. and acf	USPAT	OR	OFF	2004/05/10 14:16
S77	0	("6732177" "6539237" "6584110").pn. and (qos or (quality near2 service\$1)) with mode\$1	USPAT	OR	OFF	2004/05/10 14:17
S78	1	("6732177" "6539237" "6584110").pn. and terminalcapabilityset	USPAT	OR	OFF	2004/05/10 14:24
S79	1	("6732177" "6539237" "6584110").pn. and openlogicalchannel	USPAT	OR	OFF	2004/05/10 14:46
S80	0	"6721272".pn. and guarantee\$3	USPAT	OR	OFF	2004/05/10 14:48
S81	0	"6721272".pn. and guarant\$3	USPAT	OR	OFF	2004/05/10 14:48
S82	1	qosmode	USPAT	OR	OFF	2004/05/10 15:01
S83	180	qos with mode	USPAT	OR	OFF	2004/05/10 15:02

S42	13	((wireless or mobil\$6) and (qos or (quality near1 service\$1)))".ab. and" rsvp not (((wireless or mobil\$6) and (qos or (quality near1 service\$1)))".ab.and" rsvp and "h.245")	USPAT	OR	OFF	2004/05/06 16:58
S43	3	"6608832".URPN.	USPAT	OR	OFF	2004/05/06 17:01
S44	1	"6708034".pn.	USPAT	OR	OFF	2004/05/07 10:55
S45	0	"6708034".URPN.	USPAT	OR	OFF	2004/05/07 10:55
S46	0	"6708034".URPN.	USPAT	OR	OFF	2004/05/07 10:55
S47	642	(qos or (quality near2 service\$1)) near15 (wireless or mobil\$6)	USPAT	OR	OFF	2004/05/07 10:56
S48	59	(qos or (quality near2 service\$1)) near15 (wireless or mobil\$6).ab.	USPAT	OR	OFF	2004/05/07 10:56
S49	11	(qos or (quality near2 service\$1)) near15 (wireless or mobil\$6)".ab. and" rsvp	USPAT	OR	OFF	2004/05/07 13:31
S50	0	rsvp with proxy near15 (wireless or mobil\$6)	USPAT	OR	OFF	2004/05/07 13:32
S51	7	rsvp with proxy	USPAT	OR	OFF	2004/05/07 13:32
S52	8	(rsvp or (resource\$1 with reservation))with proxy	USPAT	OR	OFF	2004/05/07 13:33
S53	4	(rsvp or (resource\$1 with reservation))with proxy and (wireless or mobil\$6)	USPAT	OR	OFF	2004/05/07 13:33
S54	0	(rsvp or (resource\$1 with reservation))with proxy and (wireless or mobil\$6) and rsvp and "h.245"	USPAT	OR	OFF	2004/05/07 13:33
S55	1	(rsvp or (resource\$1 with reservation))with proxy and (wireless or mobil\$6) and rsvp and "h.\$4"	USPAT	OR	OFF	2004/05/07 13:33
S56	4	(rsvp or (resource\$1 with reservation))with proxy and (wireless or mobil\$6) and rsvp	USPAT	OR	OFF	2004/05/07 13:36
S57	13	"h.245" near15 (wireless or mobil\$6)	USPAT	OR	OFF	2004/05/07 13:36
S58	2	"h.245" near15 (wireless or mobil\$6)and "h.225"	USPAT	OR	OFF	2004/05/07 13:36
S59	0	"h.245" near15 (wireless or mobil\$6)and ("h.225" or acf)and terminal\$capability	USPAT	OR	OFF	2004/05/07 13:37
S60	2	"h.245" near15 (wireless or mobil\$6)and ("h.225" or acf)and terminal with capability	USPAT	OR	OFF	2004/05/07 13:37

S27	0	((rsvp or (resource\$1 adj protocol\$1))and (wireless or mobil\$5))".ti.and" "h.245"	USPAT	OR	OFF	2004/05/06 16:39
S28	0	((rsvp or (resource\$1 adj protocol\$1))".ab.and" (wireless or mobil\$5))and "h.245"	USPAT	OR	OFF	2004/05/06 16:39
S29	22	(rsvp or (resource\$1 adj protocol\$1)).ab.	USPAT	OR	OFF	2004/05/06 16:39
S30	0	(rsvp or (resource\$1 adj protocol\$1))".ab.and" (wireless or mobil\$5)and "h.245"	USPAT	OR	OFF	2004/05/06 16:40
S31	0	(rsvp or (resource\$1 adj protocol\$1))".ab.and" "h.245"	USPAT	OR	OFF	2004/05/06 16:40
S32	8	(rsvp or (resource\$1 adj protocol\$1))".ab.and" (wireless or mobil\$5)	USPAT	OR	OFF	2004/05/06 16:40
S33	16	rsvp and (wireless or mobil\$5)and "h.245" and gatekeeper\$1	USPAT	OR	OFF	2004/05/06 16:48
S34	16	rsvp and (wireless or mobil\$5)and "h.245" and gatekeeper\$1 and (qos or (quality near1 service\$1))	USPAT	OR	OFF	2004/05/06 16:48
S35	11	rsvp and (wireless or mobil\$5)and "h.245" and gatekeeper\$1 and (qos or (quality near1 service\$1))with mode	USPAT	OR	OFF	2004/05/06 16:50
S36	0	rsvp and radio and "h.245" and gatekeeper\$1 and (qos or (quality near1 service\$1))with mode not (rsvp and (wireless or mobil\$5)and "h.245" and gatekeeper\$1 and (qos or (quality near1 service\$1))with mode)	USPAT	OR	OFF	2004/05/06 16:50
S37	11	rsvp and radio and "h.245" and gatekeeper\$1 and (qos or (quality near1 service\$1))with mode	USPAT	OR	OFF	2004/05/06 16:53
S38	67	rsvp and (qos or (quality near1 service\$1))with mode	USPAT	OR	OFF	2004/05/06 16:53
S39	10	(rsvp and (qos or (quality near1 service\$1))).ab.	USPAT	OR	OFF	2004/05/06 16:57
S40	19	((wireless or mobil\$6) and (qos or (quality near1 service\$1)))".ab. and" rsvp	USPAT	OR	OFF	2004/05/06 16:58
S41	6	((wireless or mobil\$6) and (qos or (quality near1 service\$1)))".ab. and" rsvp and "h.245"	USPAT	OR	OFF	2004/05/06 16:58

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	intercept\$3 near15 resource with reservation with protocol\$1	USPAT	OR	OFF	2004/05/06 16:34
S2	10	intercept\$3 near15 rsvp	USPAT	OR	OFF	2004/05/05 17:06
S3	0	"6721272".URPN.	USPAT	OR	OFF	2004/05/05 17:05
S4	0	"6721272".URPN.	USPAT	OR	OFF	2004/05/05 17:05
S5	0	chang\$3 near15 terminal with capability with set and (qos or (quality with service\$1))	USPAT	OR	OFF	2004/05/05 17:08
S6	0	chang\$3 near15 terminal with capability with set and rsvp	USPAT	OR	OFF	2004/05/05 17:08
S7	12	chang\$3 near15 terminal with capability with set	USPAT	OR	OFF	2004/05/05 17:08
S8	213	terminal with capability with set	USPAT	OR	OFF	2004/05/05 17:20
S9	13	terminal with capability with set and (qos or (quality with service\$1))	USPAT	OR	OFF	2004/05/05 17:09
S10	0	terminal with capability with set and rsvp	USPAT	OR	OFF	2004/05/05 17:09
S11	1	terminal with capability with set and (qos or (quality with service\$1))with mode	USPAT	OR	OFF	2004/05/05 17:11
S12	2	disabl\$3 with rsvp	USPAT	OR	OFF	2004/05/05 17:15
S13	0	disabl\$3 with qos with mode	USPAT	OR	OFF	2004/05/05 17:15
S14	180	qos with mode	USPAT	OR	OFF	2004/05/05 17:15
S15	5	chang\$3 with qos with mode	USPAT	OR	OFF	2004/05/05 17:18
S16	3	wireless with qos with mode	USPAT	OR	OFF	2004/05/05 17:19
S17	0	wireless with qos with mode and rsvp	USPAT	OR	OFF	2004/05/05 17:18
S18	0	wireless near15 qos with mode and rsvp	USPAT	OR	OFF	2004/05/05 17:18
S19	3	qos adj mode	USPAT	OR	OFF	2004/05/05 17:19
S20	1754061	terminal adj capability aj set	USPAT	OR	OFF	2004/05/05 17:20
S21	6	terminal adj capability adj set	USPAT	OR	OFF	2004/05/05 17:20
S22	7	"6122665".URPN.	USPAT	OR	OFF	2004/05/05 17:25
S23	218	rsvp and (wireless or mobil\$5)	USPAT	OR	OFF	2004/05/06 16:35
S24	44	rsvp and (wireless or mobil\$5)and "h.245"	USPAT	OR	OFF	2004/05/06 16:47
S25	9	rsvp and (wireless or mobil\$5)".ab.and" "h.245"	USPAT	OR	OFF	2004/05/06 16:38
S26	0	((rsvp or (resource\$1 adj protocol\$1))and (wireless or mobil\$5))".ab.and" "h.245"	USPAT	OR	OFF	2004/05/06 16:38